

atmosphere | warmth | style

Innovative heating technology for tomorrow, today.



About Us


Heatmaster is a family business which has been manufacturing, supplying and distributing fireplaces for over 35 years. With the original Heatmaster open wood fireplaces designed to simplify installation and improve the efficiency of a traditional brick chimney. The Heatmaster range has evolved to now include the award winning highly efficiency Enviro, and the highly contemporary landscape Seamless gas fireplaces.

Working closely with many of Australia's leading architects, designers and builders Heatmaster pride ourselves on the service and experience that we can offer to ensure that you get the perfect fireplace to suit your needs. With both our head office and manufacturing plant based in Melbourne, Heatmaster distribute our products throughout Australia and New Zealand.




Australian Made and Owned

The Enviro and Seamless are both Australian owned products which were designed in Australia for Australian conditions. They are also manufactured in Australia.



Revolutionary Flexible Flue Technology

The Enviro and Seamless use direct vent technology to bring outside air in the firebox through the flue system so that the air within your room is not compromised. The Enviro and Seamless use fully flexible flue which can be run vertically through the roof, horizontally through the roof, horizontally through the wall or down through the floor.



Architects & Builders

Working closely with architects and builders in conjunction with our Melbourne based factory, Heatmaster can help to design and manufacture one off surrounds & finishing trims to create the perfect fireplace for your home.



Due to printing and gas source, the images of the unit, flames and surrounds may vary in appearance.

Photos and information are for reference only, some details may vary.

Enviro Gas Fireplace











Energy Rating: 4.6

10.2 kW 100-250 sq/m

Australian
Made & Owned

The Heatmaster Enviro is an award winning high efficiency gas fire with a huge heating capacity perfect for open plan living areas. The Enviro has a sleek contemporary design which is available with a choice of logs, pebbles or coals. The programmable thermostat remote control allows you to ensure that your house is warm when you get up in the morning or get home at night.

The Heatmaster Enviro is one of the most versatile gas fires manufactured, being able to be installed into timber and plaster, construction and flexibility of design is easily achieved. Using different fascia and finishes you can create Victorian or federation period look to the most contemporary styles, even freestanding.

- Huge heat output up to 250sq meters (10.2 Kw)
- Option of logs, pebbles or coals
- Flexible small diameter flue for ease of installation
- Programmable thermostat remote control included

Freestanding casing H 733 x D 550 x W 1080mm


Extended fascia (top left) H 751 x W 1076mm

Mantel fascia

Mantel opening required H 990 x W 1120mm



42 Mj per/H



Enviro with slimline fascia Standard Slimline: H 691 x W 996mm

Extended Slimline: H 711 x W 996mm







Seamless Landscape Gas Fireplace





36 Mj per/H







Energy Rating: 4.1

8.1 kW 50-100 sg/m

Australian Made & Owned

The Heatmaster Seamless is an award winning gas fireplace at the forefront of fireplace design with a sleek and highly contemporary landscape finish. The Seamless glass fronted gas fire was designed with architects, builders and home owners in mind to create an integrated unit which is non-obtrusive and fits perfectly into a modern home. This landscape fireplace is available with an Australian drift wood log set, and comes standard with a programmable thermostat remote control and Wi-Fi capability.

- Standard 40mm Trim H 505 x W 1320mm
- Heating capacity approx 100 sq meters (8.1kW)
- Very clean landscape design with great attention to detail and quality
- Double glazed glass window with realistic looking Australian coast driftwood glowing logs
- Unique low firebox design with zero clearance to allow installation after framing
- Use of two very small, flexible flues to simplify installation with multiple fluing options (including vertical, horizontal and under floor)
- Programmable thermostat remote control included


Minimum framing dimensions & clearances

Clearances from combustibles

- Sides =12mm
- Back =10mm
- Top =150mm (to noggin)
- Firebox to sit flush with the front wall. Do not recess.
- *Unit to sit on non combustible base

If installing into an enclosure such as joinery, air ventilation is required.

- Minimum enclosure height from top of box = 300
- 1 Inlet and 1 outlet ventilation with a cross sectional area of 5000mm for each.







(C) instagram.com/heatmaster_aus

























Heatmaster Head Office & Showroom:

2/9 Nicole Close, Bayswater North, VIC 3153

(03) 9761 7130

heatmaster.com.au info@heatmaster.com.au

EST. 1979